


# zestom

## Baudouin Spec Pack


Includes the following engines:

D7-25 / D7-35 / D7-50 / D7-88 / D7-110 / D7-165 / D7-220 / D7-275  
D7-350 / D7-440 / D7-550 / D7-715 / D7-825 / D7-1100



### ENGINE SPECIFICATIONS

- Baudouin diesel engine
- Four-cylinder, water-cooled
- Mechanical fuel pump
- 12v DC starter and charge alternator
- Replaceable fuel filter, oil filter and dry-element air filter
- Cooling radiator fan
- Integrated oil sump
- Fuel pick-up and return connection
- Water-cooled radiator



 **Baudouin**  
MOTEURS


### GENERAL SPECIFICATIONS

Engine Brand	Baudouin
Rated Power Output @1500 rpm	22kW
Cylinder Bore/Stroke	89mm/92mm
Cylinders	4
Cylinder Arrangement	Verical in-line
Air Intake Type	Normally aspirated
Cycle	Four stroke
Combustion System	Direct injection

Governor System	Electronic
Fuel Consumption @100%	6.1l/h
Oil Type	15W-40
Oil Capacity	9.5l
Cooling Method	Radiator water-cooled
Coolant Capacity	8.2l
Starter	12v DC
Replaceable Filters	Yes

### ENGINE SPECIFICATIONS

- Baudouin diesel engine
- Four-cylinder, water-cooled
- Mechanical fuel pump
- 12v DC starter and charge alternator
- Replaceable fuel filter, oil filter and dry-element air filter
- Cooling radiator fan
- Integrated oil sump
- Fuel pick-up and return connection
- Water-cooled radiator



 **Baudouin**  
MOTEURS


### GENERAL SPECIFICATIONS

Engine Brand	Baudouin
Rated Power Output @1500 rpm	29kW
Cylinder Bore/Stroke	89mm/92mm
Cylinders	4
Cylinder Arrangement	Verical in-line
Air Intake Type	Turbocharged
Cycle	Four stroke
Combustion System	Direct injection

Governor System	Electronic
Fuel Consumption @100%	7.6l/h
Oil Type	15W-40
Oil Capacity	9.5l
Cooling Method	Radiator water-cooled
Coolant Capacity	9.4l
Starter	12v DC
Replaceable Filters	Yes

### ENGINE SPECIFICATIONS

- Baudouin diesel engine
- Four-cylinder, water-cooled
- Mechanical fuel pump
- 12v DC starter and charge alternator
- Replaceable fuel filter, oil filter and dry-element air filter
- Cooling radiator fan
- Integrated oil sump
- Fuel pick-up and return connection
- Water-cooled radiator



 **Baudouin**  
MOTEURS


### GENERAL SPECIFICATIONS

Engine Brand	Baudouin
Rated Power Output @1500 rpm	42kW
Cylinder Bore/Stroke	89mm/92mm
Cylinders	4
Cylinder Arrangement	Verical in-line
Air Intake Type	Turbocharged
Cycle	Four stroke
Combustion System	Direct injection

Governor System	Electronic
Fuel Consumption @100%	10.7l/h
Oil Type	15W-40
Oil Capacity	9.5l
Cooling Method	Radiator water-cooled
Coolant Capacity	8.4l
Starter	12v DC
Replaceable Filters	Yes

### ENGINE SPECIFICATIONS

- Baudouin diesel engine
- Four-cylinder, water-cooled
- Mechanical fuel pump
- 12v DC starter and charge alternator
- Replaceable fuel filter, oil filter and dry-element air filter
- Cooling radiator fan
- Integrated oil sump
- Fuel pick-up and return connection
- Water-cooled radiator



 **Baudouin**  
MOTEURS


### GENERAL SPECIFICATIONS

Engine Brand	Baudouin
Rated Power Output @1500 rpm	69kW
Cylinder Bore/Stroke	105mm/118mm
Cylinders	4
Cylinder Arrangement	Verical in-line
Air Intake Type	Turbocharged
Cycle	Four stroke
Combustion System	Direct injection

Governor System	Electronic
Fuel Consumption @100%	18.8l/h
Oil Type	15W-40
Oil Capacity	14l
Cooling Method	Radiator water-cooled
Coolant Capacity	17.9l
Starter	12v DC
Replaceable Filters	Yes

### ENGINE SPECIFICATIONS

- Baudouin diesel engine
- Four-cylinder, water-cooled
- Mechanical fuel pump
- 12v DC starter and charge alternator
- Replaceable fuel filter, oil filter and dry-element air filter
- Cooling radiator fan
- Integrated oil sump
- Fuel pick-up and return connection
- Water-cooled radiator



 **Baudouin**  
MOTEURS


### GENERAL SPECIFICATIONS

Engine Brand	Baudouin
Rated Power Output @1500 rpm	86kW
Cylinder Bore/Stroke	105mm/118mm
Cylinders	4
Cylinder Arrangement	Verical in-line
Air Intake Type	Turbocharged
Cycle	Four stroke
Combustion System	Direct injection

Governor System	Electronic
Fuel Consumption @100%	21.25l/h
Oil Type	15W-40
Oil Capacity	14l
Cooling Method	Radiator water-cooled
Coolant Capacity	23.6l
Starter	12v DC
Replaceable Filters	Yes

### ENGINE SPECIFICATIONS

- Baudouin diesel engine
- Six-cylinder, water-cooled
- Mechanical fuel pump
- 12v DC starter and charge alternator
- Replaceable fuel filter, oil filter and dry-element air filter
- Cooling radiator fan
- Integrated oil sump
- Fuel pick-up and return connection
- Water-cooled radiator




### GENERAL SPECIFICATIONS

Engine Brand	Baudouin
Rated Power Output @1500 rpm	133kW
Cylinder Bore/Stroke	105mm/130mm
Cylinders	6
Cylinder Arrangement	Verical in-line
Air Intake Type	Turbocharged
Cycle	Four stroke
Combustion System	Direct injection

Governor System	Electronic
Fuel Consumption @100%	32.6l/h
Oil Type	15W-40
Oil Capacity	20l
Cooling Method	Radiator water-cooled
Coolant Capacity	21l
Starter	12v DC
Replaceable Filters	Yes

### ENGINE SPECIFICATIONS

- Baudouin diesel engine
- Six-cylinder, water-cooled
- Electronic fuel pump
- 24v DC starter and charge alternator
- Replaceable fuel filter, oil filter and dry-element air filter
- Cooling radiator fan
- Integrated oil sump
- Fuel pick-up and return connection
- Water-cooled radiator




### GENERAL SPECIFICATIONS

Engine Brand	Baudouin
Rated Power Output @1500 rpm	175kW
Cylinder Bore/Stroke	126mm/130mm
Cylinders	6
Cylinder Arrangement	Verical in-line
Air Intake Type	Turbocharged
Cycle	Four stroke
Combustion System	Direct injection

Governor System	Electronic
Fuel Consumption @100%	43.1l/h
Oil Type	15W-40
Oil Capacity	22l
Cooling Method	Radiator water-cooled
Coolant Capacity	35l
Starter	24v DC
Replaceable Filters	Yes

### ENGINE SPECIFICATIONS

- Baudouin diesel engine
- Six-cylinder, water-cooled
- Electronic fuel pump
- 24v DC starter and charge alternator
- Replaceable fuel filter, oil filter and dry-element air filter
- Cooling radiator fan
- Integrated oil sump
- Fuel pick-up and return connection
- Water-cooled radiator




### GENERAL SPECIFICATIONS

Engine Brand	Baudouin
Rated Power Output @1500 rpm	228kW
Cylinder Bore/Stroke	126mm/130mm
Cylinders	6
Cylinder Arrangement	Verical in-line
Air Intake Type	Turbocharged
Cycle	Four stroke
Combustion System	Direct injection

Governor System	Electronic
Fuel Consumption @100%	56.9l/h
Oil Type	15W-40
Oil Capacity	22l
Cooling Method	Radiator water-cooled
Coolant Capacity	35l
Starter	24v DC
Replaceable Filters	Yes

### ENGINE SPECIFICATIONS

- Baudouin diesel engine
- Six-cylinder, water-cooled
- Electronic fuel pump
- 24v DC starter and charge alternator
- Replaceable fuel filter, oil filter and dry-element air filter
- Cooling radiator fan
- Integrated oil sump
- Fuel pick-up and return connection
- Water-cooled radiator




### GENERAL SPECIFICATIONS

Engine Brand	Baudouin
Rated Power Output @1500 rpm	276kW
Cylinder Bore/Stroke	126mm/130mm
Cylinders	6
Cylinder Arrangement	Verical in-line
Air Intake Type	Turbocharged
Cycle	Four stroke
Combustion System	Direct injection

Governor System	Electronic
Fuel Consumption @100%	70.5l/h
Oil Type	15W-40
Oil Capacity	22l
Cooling Method	Radiator water-cooled
Coolant Capacity	44l
Starter	24v DC
Replaceable Filters	Yes

### ENGINE SPECIFICATIONS

- Baudouin diesel engine
- Six-cylinder, water-cooled
- Electronic fuel pump
- 24v DC starter and charge alternator
- Replaceable fuel filter, oil filter and dry-element air filter
- Cooling radiator fan
- Integrated oil sump
- Fuel pick-up and return connection
- Water-cooled radiator




### GENERAL SPECIFICATIONS

Engine Brand	Baudouin
Rated Power Output @1500 rpm	345kW
Cylinder Bore/Stroke	127mm/165mm
Cylinders	6
Cylinder Arrangement	Verical in-line
Air Intake Type	Turbocharged
Cycle	Four stroke
Combustion System	Direct injection

Governor System	Electronic
Fuel Consumption @100%	85.5l/h
Oil Type	15W-40
Oil Capacity	30l
Cooling Method	Radiator water-cooled
Coolant Capacity	47l
Starter	24v DC
Replaceable Filters	Yes

### ENGINE SPECIFICATIONS

- Baudouin diesel engine
- Six-cylinder, water-cooled
- Electronic fuel pump
- 24v DC starter and charge alternator
- Replaceable fuel filter, oil filter and dry-element air filter
- Cooling radiator fan
- Integrated oil sump
- Fuel pick-up and return connection
- Water-cooled radiator



**Baudouin** MOTEURS


### GENERAL SPECIFICATIONS

Engine Brand	Baudouin
Rated Power Output @1500 rpm	436kW
Cylinder Bore/Stroke	127mm/165mm
Cylinders	6
Cylinder Arrangement	Verical in-line
Air Intake Type	Turbocharged
Cycle	Four stroke
Combustion System	Direct injection

Governor System	Common Rail
Fuel Consumption @100%	109.5l/h
Oil Type	15W-40
Oil Capacity	34l
Cooling Method	Radiator water-cooled
Coolant Capacity	62l
Starter	24v DC
Replaceable Filters	Yes

### ENGINE SPECIFICATIONS

- Baudouin diesel engine
- Six-cylinder, water-cooled
- Electronic fuel pump
- 24v DC starter and charge alternator
- Replaceable fuel filter, oil filter and dry-element air filter
- Cooling radiator fan
- Integrated oil sump
- Fuel pick-up and return connection
- Water-cooled radiator



 **Baudouin**  
MOTEURS


### GENERAL SPECIFICATIONS

Engine Brand	Baudouin
Rated Power Output @1500 rpm	550kW
Cylinder Bore/Stroke	150mm/185mm
Cylinders	6
Cylinder Arrangement	Verical in-line
Air Intake Type	Turbocharged
Cycle	Four stroke
Combustion System	Direct injection

Governor System	Electronic
Fuel Consumption @100%	136.3l/h
Oil Type	15W-40
Oil Capacity	61l
Cooling Method	Radiator water-cooled
Coolant Capacity	115l
Starter	24v DC
Replaceable Filters	Yes

### ENGINE SPECIFICATIONS

- Baudouin diesel engine
- Six-cylinder, water-cooled
- Electronic fuel pump
- 24v DC starter and charge alternator
- Replaceable fuel filter, oil filter and dry-element air filter
- Cooling radiator fan
- Integrated oil sump
- Fuel pick-up and return connection
- Water-cooled radiator



**MOTEURS**  
Baudouin


### GENERAL SPECIFICATIONS

Engine Brand	Baudouin
Rated Power Output @1500 rpm	650kW
Cylinder Bore/Stroke	150mm/185mm
Cylinders	6
Cylinder Arrangement	Verical in-line
Air Intake Type	Turbocharged
Cycle	Four stroke
Combustion System	Direct injection

Governor System	Electronic
Fuel Consumption @100%	159.5l/h
Oil Type	15W-40
Oil Capacity	61l
Cooling Method	Radiator water-cooled
Coolant Capacity	115l
Starter	24v DC
Replaceable Filters	Yes

### ENGINE SPECIFICATIONS

- Baudouin diesel engine
- Twelve-cylinder, water-cooled
- Electronic fuel pump
- 24v DC starter and charge alternator
- Replaceable fuel filter, oil filter and dry-element air filter
- Cooling radiator fan
- Integrated oil sump
- Fuel pick-up and return connection
- Water-cooled radiator



 **Baudouin**  
MOTEURS

### GENERAL SPECIFICATIONS

Engine Brand	Baudouin
Rated Power Output @1500 rpm	857kW
Cylinder Bore/Stroke	150mm/150mm
Cylinders	12
Cylinder Arrangement	Verical in-line
Air Intake Type	Turbocharged
Cycle	Four stroke
Combustion System	Direct injection

Governor System	Electronic
Fuel Consumption @100%	207.1l/h
Oil Type	15W-40
Oil Capacity	109l
Cooling Method	Radiator water-cooled
Coolant Capacity	157l
Starter	24v DC
Replaceable Filters	Yes